

## Latvia ODM LPO Optical Module OSFP



### Overview

Compact BlueOptics OSFP twin-port transceiver P49762-B21-BO provides two 400GBASE-SR4 channels over multimode fiber with MPO/MTP-12 APC connectors. Operates at 850 nm for up to 50 m on suitable MMF and supports digital diagnostic monitoring (DDM). This specification defines the electrical connectors, electrical signals and power supplies, mechanical and thermal requirements of the OSFP Module, connector and cage systems. The OSFP Management interface is described in a separate document, Common Management Interface Specification for 8/16X. The following analysis dives into the technology behind OSFP optics, performance evolution across speed classes, deployment considerations, and how LINK-PP, as a full-stack optical module manufacturer, supports high-density interconnects with complete optical, electrical, and mechanical. HIGH-SPEED OSFP TRANSCEIVER FOR 800G/1. 6T WITH 200G PER LANE Amphenol's 200G/lane optical modules support DR4, FR4, 2×DR4, 2×FR4, AOC, and breakout AOC configurations with LC or MPO ports, ideal for 800G/1. Fully compliant with OSFP MSA, IEEE 802. Designed for high-density 400 Gbps links in data. OSFP (Octal Small Form-factor Pluggable) modules are becoming increasingly important in achieving high-speed optical connectivity in the fast-growing world of data communications. Each module needs a small but precise set of support ICs — multi-voltage conversion, hot-plug load switching, rail supervision, and signal level shifting.

## Article Content

Understanding the OSFP Standard: The Open 400G/800G Optical

OSFP (Octal Small Form Factor Pluggable) is a pluggable optical transceiver interface standard that supports eight electrical lanes (Tx/Rx) per module. Each lane can operate up to 100G

OSFP Transceivers: High-Density Optical Connectivity from 400G to

Designed for high thermal capacity, electrical scalability, and forward compatibility, OSFP modules now drive connectivity across 400G, 800G and the emerging 1.6T generation.

400G OSFP Transceiver Optics Types and Connections

The Octal Small Form Factor Pluggable (OSFP) module is an optical transceiver designed to provide high speed 400G/800G data communications for data centers and networking systems.

1.6T OSFP Transceivers | Optical Transceivers | Amphenol

The OSFP 1.6T LPO transceivers (500m, SMF) are also compliant with OSFP MSA, IEEE 802.3, OIF-CMIS, and RoHS standards, and are

BlueOptics OSFP Twin-Port Transceiver P49762-B21-BO | AiO.lv

Buy BlueOptics OSFP twin-port transceiver P49762-B21-BO for 2x400G SR4 multimode links; ideal for data centers. Delivery in Riga, Latvia and across Europe.

OSFP Optical Module Support ICs · Solutions · Magnias

OSFP (Octal Small Form-factor Pluggable) is the dominant pluggable optical module form factor for AI-cluster and hyperscale switch interconnect. Each module needs a small but precise set of support

Optical Transceiver Modules Prices & Specifications

OSFP (Octal Small Form Factor Pluggable) optical module: the OSFP is a new pluggable form factor with eight high speed electrical lanes that will initially

OSFP OCTAL SMALL FORM FACTOR PLUGGABLE MODULE

The OSFP module shall operate within one or more of the case temperature ranges defined in Table 8-1. The temperature ranges are applicable between 60m below sea level and 1800m above sea level.

Understanding OSFP Modules: Your Guide to High

This document will discuss OSFP module specifications, benefits and applications so that readers can understand how they contribute to improving

## OSFP MSA Rev 5

This specification defines the electrical connectors, electrical signals and power supplies, and mechanical and thermal requirements of the OSFP and OSFP-RHS module, connector, and cage

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://blazingfast.co.za>

Email: [info@blazingfast.co.za](mailto:info@blazingfast.co.za)

Phone: +27 83 416 7295

Address: Plot 45, Silicon Savannah Road, Tatu City, Kiambu 00900, Kenya

This document is for informational purposes only. Specifications subject to change without notice.

