

## STM32 Optical Sensor Module



### Overview

Connected to the STM32 Digital Camera Interface (DCMI) parallel interface, the GenX320 CM2 compact module offers a powerful solution for diverse embedded vision applications. This development platform enables experimentation with high-speed and low-latency event-based vision. Develop low-power event-based vision solutions with the Metavision Assembly Kit GenX320MP CM2, featuring STM32 integration for optimized performance. For a production-ready alternative, explore our compatible integrated. The great advantage of MII or RMI is that with a suitable PHY, Ethernet can be realised via any media. All you have to do is select an appropriate PHY from one of the many manufacturers (STMicroelectronics is not one of them). Two configurations of the STM32F7 Starter Kit are. Development kit Prophesee GenX320 CM2 compact module for STM32 devices\* Prophesee GenX320 1/5" format 320x320 event-based vision sensor: The GenX320 sensor is connected through the STM32 DCMI parallel interface Low pixel latency and low transfer latency. 4 (s); Power-on delay: <100ms; Search time: <300ms; Rejection rate: <1%; Fingerprint storage capacity: 200 pieces. It is compatible with any microcontroller with a. Sensors are the bridge between the physical world and digital systems, allowing microcontrollers like the STM32 to perceive and interact with their environment.

## Article Content

STM32 GenX320 Info

Plug and play, ready to use platform to get a headstart on evaluation of compact integrated optics system.

TOF-Abstandssensor mit optischem Filter für Arduino und für STM32,

Info zu diesem Artikel [PRÄZISE ZEITFLUG-MESSUNG]: Entwickelt mit TOF050C, TOF200C und TOF400C Ranging sensor module für präzise Time of flight distance Erfassung. Optische Abdeckung

ELEGOO Upgraded 37 in 1 Sensor Modules Kit with

ELEGOO Upgraded 37 in 1 Sensor Modules Kit with Tutorial Compatible with R3 MEGA 2560 Nano Amazon's Choice highlights highly rated, well-priced products

Supply Chain & Distribution Archives

Proactively manage semiconductor obsolescence with early insights and trusted partners to avoid redesigns and keep your supply chain secure.

Camera module bundle for STM32 boards

The B-CAMS-IMX camera module provides a compelling hardware set to handle multiple computer vision scenarios and use cases. It features a high-resolution 5-Mpx RGB CMOS image sensor, an

Metavision Assembly Kit - GenX320MP OPTICAL

Starter kit for STM32 with GenX320 320x320 event-based vision sensor for diverse embedded vision applications.

Optical Fingerprint Reader Sensor Module for Arduino

An integrated fingerprint processing module with an integrated optical path and

How to adapt SFP modul with Cortex-M microcontroller?

Our customer wants to use SFP modules (1000 Base-SX standard) to send some data to a remote computer. As there is only very little data to be transferred (actually no real need for

Proximity sensors

ST has launched an ambitious diversification strategy to further expand its technology portfolio, introducing a wide range of photonic sensors bringing

STM32StepByStep:Step4 Sensors usage

The X-NUCLEO-IKS01A2 is a motion MEMS and environmental sensor expansion board for the STM32 64-pin Nucleo. It interfaces with NUCLEO

Using OV7670 Camera Sensor With Arduino

Using OV7670 Camera Sensor With Arduino Developing a hardware project became much easier thanks to the growing number of the various sensors

GENX320 KIT FOR STM32

Connected to the STM32 Digital Camera Interface parallel interface, the GenX320 CM2 compact module offers a powerful solution for diverse embedded vision applications. This development platform

help for an optical sensor project

Is there tutorial/already existing code in order to use an LCD display? Is there tutorial/already existing code in order to use the potentiometer? And the same for the utilisation of sensor in

Prophesee Metavision® STM32F7 Starter Kit

Two configurations of the STM32F7 Starter Kit are available, both featuring Prophesee's Metavision® GenX320 Event-based Vision sensor and offering Plug

Laser Detector Modules for Robotics and Automation: Real-World ...

Testing real-world applications reveals laser detector modules offer high reliability in challenging environments such as bright sunlight and variable weather, provided properly configured and isolated

RCmall Optical Fingerprint Reader Sensor Module for

Buy RCmall Optical Fingerprint Reader Sensor Module for Arduino Me-ga-2560 R3 51 AVR STM32 Red Light O40 DC 3.8-7V FZ2904 at Aliexpress for . Find more

STM32 Sensor Basics

In this guide, we'll explore the basics of connecting various sensors to STM32 microcontrollers, understanding common communication protocols, and implementing basic sensor reading techniques.

Sensor Tutorial with C/C++ (STM32Cube), STM32

Introduction This tutorial should take approximately 40-50 minutes to complete. In this tutorial, you'll learn how to take sensor data, queue it on your Notecard, and

STM32 AS608 optical fingerprint module drive (HAL

STM32 AS608 optical fingerprint module drive (HAL library standard library universal), Programmer Sought, the best programmer technical posts sharing site.

TOFSense F2 P LiDAR Sensor 40m TOF Laser Range Finder

Buy TOFSense F2 P LiDAR Sensor with 40m TOF laser ranging, UART & IIC support for STM32, Pixhawk, APM drones, robotics, obstacle avoidance and distance measurement projects.

Genx320 Kit For Stm32 - Event-based Metavision Sensor GenX320

Connected to the STM32 Digital Camera Interface parallel interface, the GenX320 mounted with a S-Mount optic offers a configurable and powerful solution for diverse embedded vision

(PDF) Design of Intelligent Garbage Handling Trolley

PDF | This paper introduces an intelligent garbage-handling trolley model based on an STM32 single chip microcomputer as the control core.

Design of Control Circuit for Tunable Semiconductor

Consequently, a specialized driver circuit necessitates meticulous design and implementation. In this investigation, a novel STM32 microcontroller-based

Metavision Assembly Kit - GenX320MP OPTICAL MODULE CM2 -

Connected to the STM32 Digital Camera Interface parallel interface, the GenX320 CM2 compact module offers a powerful solution for diverse embedded vision applications. This development platform

Ov7670 FIFO Module: The Real-World Guide to Building ...

Understanding the necessity of OV7670 FIFO module reveals its role in bridging fast sensor output with slower MCUs, ensuring smooth real-time image acquisition especially when paired with STM32

Fingerprint Identification with STM32 MCU and Serial

STM32 development board Fingerprint module STONE STVC050WT-01 LCD display Fingerprint identification module with UART-TTL The UART

Introduction to digital camera interface pixel pipeline for STM32 MCUs ...

The DCMIPP provides communication interfaces with high-resolution camera sensor and a pixel processing pipeline to process the acquired pixels into a usable form by the application. Two

Metavision Assembly Kit - GenX320MP OPTICAL

Starter kit for STM32 with GenX320 320x320 event-based vision sensor for diverse embedded vision applications. Connected to the STM32 Digital Camera Interface

Optical Fingerprint Reader Sensor Module for Arduino

Optical Fingerprint Reader Sensor Module for Arduino 2560 R3 Raspberry Pi ESP8266 ESP32 51 AVR STM32 Red Light DC 3.8-7V | FeaturesAn integrated

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://blazingfast.co.za>

Email: [info@blazingfast.co.za](mailto:info@blazingfast.co.za)

Phone: +27 83 416 7295

Address: Plot 45, Silicon Savannah Road, Tatu City, Kiambu 00900, Kenya

This document is for informational purposes only. Specifications subject to change without notice.

